



## Oceanis 343 Clipper - 2008

<https://www.yachtadvert.com/1390-beneteau-oceanis-343-clipper.html>

77 000 EUR incl vat



### General

Year : 2008

Length : 114.83 Ft

Draft : 0.00 Ft

Area : West Cork, Ireland

Builder : Beneteau

Material : GRP

Beam : 36.09 Ft

Life Raft : No

Leasing in progress : No

### Engines

Fuel : Diesel

Power Unit. (HP) : 29

Engine Brand : Yanmar

Engine(s) : 1

# Facilities

Flybridge : No

Helm : No

# Electronics

Autopilot : No  
GPS : No  
VHF : No  
Watermaker : No

Radar : No  
Sounder : No  
Chartplotter : No  
Converter 12/220 : No

# Bridge equipment

Hydrolic Gangway : No  
Bath platform : No  
Winter cover : No  
Sprayhood : No  
Teak cockpit : No  
Furling mainsail : No

Gangway : No  
Davits : No  
Electric windlass : No  
Cockpit awning : No  
Teak deck : No  
Furling genoa : No  
Spinnaker : No

# Main equipment

Stern thruster : No  
AC : No  
Black Water : No  
Tender : No

Bow Thruster : No  
Marine Generator : No  
Hot water : No  
Flaps : No  
Tender Engine : No

# Household appliances

Freezer : No  
Microwaves : No  
Electric stove : No  
Washing machine : No  
TV antenna : No  
SAT-TV : No

IceMaker : No  
Oven : No  
Gas stove : No  
Heater : No  
Dishwasher : No  
TV : No

## Various

**Remarks :**  
This (2008 Model) Beneteau Oceanis 343 Clipper was built in November 2007 and was commissioned in 2008. She is the very desirable owner's version with two cabins, including a very spacious owner's aft cabin. The comfortable saloon is very roomy, bright and airy and also has excellent headroom. The well equipped galley includes a cooker with hob and oven and a large front-opening fridge. The heads is sizable and includes a separate shower area. When anchored or moored, the Tecsew cockpit enclosure transforms the cockpit into a comfortable living area protected from the weather, while the wheel swivels to one side to allow easy access around the cockpit. Her inventory includes a 29HP Yanmar diesel engine with shaft drive, bow thruster, electric windlass, fully battened mainsail with single line reefing, lazy jacks and lazy bag, furling genoa, gennaker, sprayhood, chart plotter, depth, log, autopilot, DSC VHF, heating and a lot more. "Pilibeen" pronounced Pilibeen (Lapwing) is in excellent condition and is E.U. VAT paid. Viewing is highly recommended.

**Accommodation :**

**Construction**  
The hull is a single-skinned GRP construction. Reinforced points (keel, rudder, chain plates, hull-deck joint) help to strengthen the structure.

A structural inner moulding is bonded and laminated to the hull. Its structural role is important as it takes and absorbs the stresses at pressure points (shroud chain-plate tie rods, keel, rudder, etc.), and spreads any loads, resulting in reduced strain on the hull. The surface material on the inner moulding makes cleaning easier and provides a better finish.

The deck is of sandwich construction (glass fibre and balsa) for an optimal strength/weight ratio and thermal and sound insulation.

The top surface of the deck has a 'diamond point' non-slip finish to increase safety over all areas of movement. The hull/deck joint is secured by an aluminium toerail bonded and screwed in position, which forms a foothold all around the hull for increased safety.  
The steering wheel is mounted on a pivoting column in the cockpit. This allows the wheel to be placed in a fore-and-aft position when not in use, thereby facilitating movement around the cockpit. An emergency tiller is also provided. The wheel operates a spade rudder.  
The keel is of cast iron construction with a bulb at its base.  
**Sails and Rigging**  
Fractional 9/10 Z Spars tapered mast in anodised aluminium. Deck stepped with stainless steel pillar in the saloon. Aft swept twin spreaders. Boom topping lift on a cleat on the mast.  
Z Spars anodised aluminium boom fitted with two reefing lines and mainsail outhaul tackle. Rigid boom vang, with adjusting line led back to the cockpit.  
Elvstrom polyester mainsail with four battens, lazy jacks and lazy bag. Two single line slab reefing system led back to cockpit. Elvstrom polyester furling genoa with anti UV strip in white acrylic. Rolly Tasker gennaker with snuffer (like new), sheets and telescopic spinnaker pole.  
Discontinuous stainless steel wire rigging (1 x 19).

Forestay with furling gear including 2023 halyard swivel with thrust bearings.

Two backstays. Two aft inner shrouds and two cap shrouds on side deck.

Adjustable main traveller with two control lines led back to cockpit winches. Mainsail halyard and sheet also led back to cockpit winches.

Two 4-sheave deck organisers. Two double clutches and one single clutch to port and starboard for lines led back to cockpit.

Two Harken H40 two speed self-tailing genoa sheet winches on cockpit coamings.

Two Harken H32 two speed self-tailing winches on the coachroof.

2022 Elasticated canvas covers with Velcro fastenings to all winches.

Winch handle pocket in the cockpit.

**Deck and deck fittings**

Stainless steel pulpit, pushpits surrounding the aft section of the cockpit with opening gate between. Two rows of stainless steel wire guardrails supported by six stainless steel stanchions.

Two teak handrails on coachroof.

Lifebuoy support, outboard motor bracket and ensign staff support on pushpits.

Continuous aluminium toerail along both sides.

Stainless steel bow fitting with offset fairlead rollers. Two fairleads and two 250mm aluminium mooring cleats forward. Two midship roller fairleads and two mooring cleats amidships. Two roller fairleads and two 250mm aluminium mooring cleats at the stern.

Self-draining anchor locker with eyebolt and integrated windlass bracket, lid with locking bolt.

Electric Quick anchor windlass with 20m of 10mm galvanised chain and 30m of warp.

2020 Rocna 15kg anchor.

9 x Fenders, bow fender, warps and boat hook.

**Cockpit and Transom**

Leather-covered, pivoting stainless steel steering wheel on a pedestal.

Chart plotter, navigational instruments, steering compass, engine control lever, handhold, 12V socket, and cup holder are mounted on the pedestal. Fold-down teak cockpit table with fold-out leaves attached to front of the pedestal.

Teak slatted benches along both sides of cockpit. Central pivoting teak slatted helm seat aft of wheel, with teak slatted seats on both sides.

Very large cockpit locker to starboard, with shelves and access hatch from rear cabin. Storage locker to port. Gas locker to port quarter with storage for two cylinders.

Manual bilge pump in cockpit.

2020 "Tecsew" cockpit tent with stainless steel supports fully encloses the cockpit area. Fast and easy to erect and take down. Zipped cover neatly encloses folded tent on its support frame. Plastic windows on both sides and the stern give all-around visibility. Zipped side and back panels can be rolled up and secured for ventilation.

Spray hood, 2021 cockpit dodgers

2022 Wheel/pedestal/table zipped cover..

Level access, when central helm seat is raised, to teak slatted bathing platform on sugar-scoop transom. Stainless steel bathing ladder. Stainless steel handrails to assist boarding. Hot and cold shower in transom.

Protective rubber rubbing strake to aft edge of transom.

**Electrical**

Ten switch 12V electrical panel with Clipper BM-1 battery monitor.

12V and USB sockets on the panel.

Sony FM/MW/LW radio with two speakers in the saloon and one in the cockpit.

One 70Ah engine start battery, two 85Ah domestic batteries, one 120Ah bow thruster battery.

220V shore power cable.

2021 Victron Energy Blue Smart IP22 battery charger.

220V sockets located in the saloon, cabins and galley.

Fore and aft navigation lights, steaming light and anchor light.

Electric bilge pump controlled from the electrical panel.

**Navigation**

In the cockpit:

2020 Raymarine Element 7 S chart-plotter with AIS display.

Raymarine ST60+ Wind instrument (wind speed and direction).

Raymarine ST60+ Tridata instrument (speed, depth and log).

Raymarine ST6002 Smart Pilot autopilot with 2025 wheel drive.

Bow thruster controls.

Steering compass.

Fusion VHF marine speaker.

At the chart table:

B&G Vulcan chart-plotter with AIS display.

2021 Em-Trak B100 AIS Class B.

ICOM IC-M411 DSC VHF radio.

ICS Nav6 Plus Navtex receiver.

**Safety:**

DSC

VHF.

Jackstays

(2020).

Danbuoy.

Lifebuoy.

Lifesling overboard rescue system.

**Other**

Antifouled June 2025

Hull polished June 2025

Engine serviced June 2025

**Documentation**

Previous Bills of Sale to first purchase.

Builder's Certificate.

Declaration of Conformity.

Evidence of VAT payment.

**Owners Comments**

"Pilib&iacute;n" is a lovely, spacious, comfortable boat. When moored or at anchor, the cockpit tent can be quickly and easily erected. This allows the cockpit area to be used in all weathers, while the windows on all sides allows 360&deg; visibility. She is a fast, sea kindly boat and will glide along effortlessly in a Force 3 or on engine at less than 2000 rpm. For those who want to go faster, an almost unused gennaker is included.&nbsp;

**Broker's Comments**

"Pilib&iacute;n" &nbsp;was imported in from Wales in 2020 and one can see immediately that this boat has been exceptionally well minded by her owners. She is a lovely cruising yacht with all the bells and whistles!&nbsp;

### Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

**Inventory :**

**Construction**

The hull is a single-skinned GRP construction. Reinforced points (keel, rudder, chain plates, hull-deck joint) help to strengthen the structure.

A structural inner moulding is bonded and laminated to the hull. Its structural role is important as it takes and absorbs the stresses at pressure points (shroud chain-plate tie rods, keel, rudder, etc.), and spreads any loads, resulting in reduced strain on the hull. The surface material on the inner moulding makes cleaning easier and provides a better finish.

The deck is of sandwich construction (glass fibre and balsa) for an optimal strength/weight ratio and thermal and sound insulation.

The top surface of the deck has a 'diamond point' non-slip finish to increase safety over all areas of movement. The hull/deck joint is secured by an aluminium toerail bonded and screwed in position, which forms a foothold all around the hull for increased safety.

The steering wheel is mounted on a pivoting column in the cockpit. This allows the wheel to be placed in a fore-and-aft position when not in use, thereby facilitating movement around the cockpit. An emergency tiller is also provided. The wheel operates a spade rudder.&nbsp;

The keel is of cast iron construction with a bulb at its base.

**Sails and Rigging**

Fractional 9/10 Z Spars tapered mast in anodised aluminium. Deck stepped with stainless steel pillar in the saloon. Aft swept twin spreaders. Boom topping lift on a cleat on the mast.

Z Spars anodised aluminium boom fitted with two reefing lines and mainsail outhaul tackle. Rigid boom vang, with adjusting line led back to the cockpit.&nbsp;

Elvstrom polyester mainsail with four battens, lazy jacks and lazy bag. Two single line slab reefing system led back to cockpit. Elvstrom polyester furling genoa with anti UV strip in white acrylic. Rolly Tasker gennaker with snuffer (like new), sheets and telescopic spinnaker pole.

Discontinuous stainless steel wire rigging (1 x 19).

Forestay with furling gear including 2023 halyard swivel with thrust bearings.

Two backstays. Two aft inner shrouds and two cap shrouds on side deck.&nbsp;

Adjustable main traveller with two control lines led back to cockpit winches. Mainsail halyard and sheet also led back to cockpit winches.&nbsp;

Two 4-sheave deck organisers. Two double clutches and one single clutch to port and starboard for lines led back to cockpit.

Two Harken H40 two speed self-tailing genoa sheet winches on cockpit coamings.

Two Harken H32 two speed self-tailing winches on the coachroof.

2022 Elasticated canvas covers with Velcro fastenings to all winches.

Winch handle pocket in the cockpit.

**Deck and deck fittings**

Stainless steel pulpit, pushpits surrounding the aft section of the cockpit with opening gate between. Two rows of stainless steel wire guardrails supported by six stainless steel stanchions.

Two teak handrails on coachroof.

Lifebuoy support, outboard motor bracket and ensign staff support on pushpits.

Continuous aluminium toerail along both sides.

Stainless steel bow fitting with offset fairlead rollers. Two fairleads and two 250mm aluminium mooring cleats forward. Two midship roller fairleads and two mooring cleats amidships. Two roller fairleads and two 250mm aluminium mooring cleats at the stern.

Self-draining anchor locker with eyebolt and integrated windlass bracket, lid with locking bolt.

Electric Quick anchor windlass with 20m of 10mm galvanised chain and 30m of warp.

2020 Rocna 15kg anchor.

9 x Fenders, bow fender, warps and boat hook.

**Cockpit and Transom**

Leather-covered, pivoting stainless steel steering wheel on a pedestal.

Chart plotter, navigational instruments, steering compass, engine control lever, handhold, 12V socket, and cup holder are mounted on the pedestal. Fold-down teak cockpit table with fold-out leaves attached to front of the pedestal.

Teak slatted benches along both sides of cockpit. Central pivoting teak slatted helm seat aft of wheel, with teak slatted seats on both sides.

Very large cockpit locker to starboard, with shelves and access hatch from rear cabin. Storage locker to port. Gas locker to port quarter with storage for two cylinders.

Manual bilge pump in cockpit.

2020 "Tecsew" cockpit tent with stainless steel supports fully encloses the cockpit area. Fast and easy to erect and take down. Zipped cover neatly encloses folded tent on its support frame. Plastic windows on both sides and the stern give all-around visibility. Zipped side and back panels can be rolled up and secured for ventilation.

Spray hood, 2021 cockpit dodgers

2022 Wheel/pedestal/table zipped cover..

Level access, when central helm seat is raised, to teak slatted bathing platform on sugar-scoop transom. Stainless steel bathing ladder. Stainless steel handrails to assist boarding. Hot and cold shower in transom.

Protective rubber rubbing strake to aft edge of transom.

**Electrical**

Ten switch 12V electrical panel with Clipper BM-1 battery monitor.

12V and USB sockets on the panel.

Sony FM/MW/LW radio with two speakers in the saloon and one in the cockpit.

One 70Ah engine start battery, two 85Ah domestic batteries, one 120Ah bow thruster battery.

220V shore power cable.

2021 Victron Energy Blue Smart IP22 battery charger.

220V sockets located in the saloon, cabins and galley.

Fore and aft navigation lights, steaming light and anchor light.

Electric bilge pump controlled from the electrical panel.

**Navigation**

In the cockpit:

2020 Raymarine Element 7 S chart-plotter with AIS display.

Raymarine ST60+ Wind instrument (wind speed and direction).

Raymarine ST60+ Tridata instrument (speed, depth and log).

Raymarine ST6002 Smart Pilot autopilot with 2025 wheel drive.

Bow thruster controls.

Steering compass.

Fusion VHF marine speaker.

At the chart table:

B&G Vulcan chart-plotter with AIS display.

2021 Em-Trak B100 AIS Class B.

ICOM IC-M411 DSC VHF radio.

ICS Nav6 Plus Navtex receiver.

**Safety:**

VHF.

DSC (2020).

Danbuoy.

Lifebuoy.

Lifesling overboard rescue system.

**Other**

Antifouled June 2025

Hull polished June 2025

Engine serviced June 2025

**Documentation**

Previous Bills of Sale to first

purchase.

Builder's Certificate.

Declaration of Conformity.

Evidence of VAT payment.

**Owners Comments**

>"Pilib&iacute;n" (meaning Lapwing) is a lovely, spacious, comfortable boat. When moored or at anchor, the cockpit tent can be quickly and easily erected. This allows the cockpit area to be used in all weathers, while the windows on all sides allows 360&deg; visibility. She is a fast, sea kindly boat and will glide along effortlessly in a Force 3 or on engine at less than 2000 rpm. For those who want to go faster, an almost unused gennaker is included.&nbsp;

**Broker's Comments**

"Pilib&iacute;n"&nbsp;was imported in from Wales in 2020 and one can see immediately that this boat has been exceptionally well minded by her owners. She is a lovely cruising yacht with all the bells and whistles!&nbsp;

### Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

**Mechanical :**

Yanmar 3YM30 29HP inboard diesel engine.

Engine spares kit and service manual.

Sound-proofing foam in engine compartment.

Indirect fresh water cooling system, with filter on sea water circuit.

Engine control panel built into port cockpit seating.

Stainless steel propellor shaft with rope cutter.

Shaft protected in a GRP skeg moulded with the hull.

Three-bladed Flex-O-Fold folding propellor with a new anode.

75 litre fuel tank with electric gauge.

2023 Lewmar 185TT 3kW bow thruster



















































