

45 - 2000

https://www.yachtadvert.com/1500-sweden-yachts-45.html



General

Year : 2000 Builder : Sweden Yachts
Beam : 13.00 Ft Length : 46.00 Ft
Life Raft : No Draft : 0.00 Ft

Leasing in progress : No Area : Lagos, Portugal

Engines

Engine(s): 1 Engine Brand: Volvo Penta TMD22

Power Unit. (HP): 78

Facilities

Flybridge: No Helm: No

Electronics

Autopilot : No Radar : No
GPS : No Sounder : No
VHF : No Chartplotter : No
Watermaker : No Converter 12/220 : No

Bridge equipment

Hydrolic Gangway : No
Bath platform : No
Davits : No

Winter cover : No
Sprayhood : No
Cockpit awning : No
Teak cockpit : No
Teak deck : No
Furling mainsail : No
Spinnaker : No

ор.....

Main equipment

Stern thruster : No

AC : No

Marine Generator : No

Black Water : No
Tender : No
Flaps : No

Tender Engine : No

Household appliances

Freezer: No
Microwaves: No
Electric stove: No
Washing machine: No

TV antenna : No

SAT-TV: No

IceMaker : No
Oven : No
Gas stove : No
Heater : No
Dishwasher : No

TV: No

Various

Remarks :

<div> Sweden Yachts 45 Design, Peter Norlin/Jens & amp;Ouml;stman Samphire II has been continuously maintained to meet high demands. Before we bought her 2012 the wire rigging was changed and thereafter, we have made a lot of upgrades. Among the these we have re-caulked the deck and following are almost new; North Sails Full Batten Mainsail NPC Radian NorDac, North Sails Self-tacking Furling Jib w/ Battens NPC Cross-Cut NorDac, Frigonautica MF80RC Refrigerator, JEFA rudder bearings, Lewmar Ocean hatches, 4 TAB Lithium Iron Phosphate Batteries 12.8 V 200 Ah each, Side Power SE 100/185T-24V-IP bow thruster, LALIZAS ISO-RAFT, 8 Persons, Windlass Anchorlift Mako 1500 24V DC capstan model and chain. She is ready to (Manufacturer's presentation) Looks great & performs better Whenever we design a new yacht, we always strive to achieve the best possible sailing characteristics for a boat of that particular size. In this way, the Sweden Yachts 45 carries on and embellishes the proud heritage of Sweden Yachts. Every detail, from the shape of the hull to the design of the rig, works together as a harmonious whole, creating an unmatched yacht for serious sailing. Sail and rig handling have been simplified to minimise effort and add more pleasure to the whole sailing experience. The cockpit is ergonomically designed, giving the helmsman a relaxed, well-balanced environment even under really tough conditions in open sea, hard weather sailing. A yacht with a high feel-good factor The Sweden Yachts 45 is a fast yacht, very fast. The design team, Peter Norlin and Jens & Dynk; Stman, set out to create the most exciting 45-footer ever built. And owners agree that they have succeeded. & amp; Idquo; Sailing a Sweden Yachts 45 makes you feel good" is a frequent comment from owners and the lucky yachtsmen who have been invited on board for a test cruise. So, it is no coincidence that the Sweden Yachts 45 was elected & amp; Idquo; Sailboat of the Year 2000" by the international yachting magazine SAIL. Light or slightly darker mahogany, or other fine woods like teak (and in this case cherrywood) are crafted into a complete interior. With inlaid woodwork details accentuating the whole effect. Superior craftsmanship is the keynote throughout. Every piece of wood is oil varnished five times before being fitted together into modules. The floorboards are carefully insulated to eliminate the slightest creaking. Upholstery is specified by the yacht owner, in a Scandinavian design concept based on the principle that & amp; Idquo; less is more & amp; rdquo;. The whole atmosphere is one of Nordic Light, the same magic light captured by Scandinavian painters at Skagen, Denmark, at the end of the 19th century. In short, the interior of a Sweden Yachts 45 is tailored to perfection, right down to the last detail. helmsman first The cockpit is designed for maximum efficiency and comfort, both under sail and in harbour. The helm and the winches are positioned for exact operation with minimum effort. Wherever you sit in the cockpit, you are always comfortable. And you are seated on smooth-surfaced, top quality, hand-picked teak from sources who guarantee that the wood is grown under the control of environmental authorities. The whole cockpit layout is the result of constant development work, based on years of sailing experience, making it as near perfect as possible. Samphire II of Burnham (2nd Owner&rsquo;s presentation) General width="217"> Length overall 14.15 m valign="top" width="217"> Waterline length 11.90 m Beam 4.18 m Draft 2.30 m valign="top" width="217"> Draft 2.30 m valign="top" width="217"> Displacement 12,400 kg valign="top" width="217"> Ballast 5,200 kg valign="top" width="217"> &c/td> 18.20 m &c/td> 18.20 m
 &c/td> 18.20 m
 &c/td> 18.20 m
 &c/td> &cd valign="top" width="387"> 18.20 m
 &c/td> &cd valign="top" width="387"> &c/td>
 valign="top" width="217"> &c/td> &cd valign="top" width="387"> &c/td> &c/tr> &c/td> &c/tr>

The yacht is built to CE Boat Category A-ocean <Documents and VAT VAT paid proof Original invoice from Sweden Yachts Bill of Sale (2000 and 2012) certificate RCD Certificate of Conformity Hull Construction and finish End grain balsa core sandwich using fiberglass mat and rowing on both sides, gives a light, rigid and well insulated hull</ti>/li> Balsa core is used from toe rail to below water line stress areas around the keel, mast foot and in the joint between the hull-halves longitudinal and transversal solid laminate design. filler The toe rail is then bolted through deck and hull flange, using a special sealing material original fiberglass bed, moulded integrally with the bottom reinforcement and filled with heavy ballast for maximum stability The hull is blue and polished in May 2025 The underwater part of the hull was renewed with 5 layers of Gelshield 200 in 2015 The underwater part of hull was painted with two layers of Micron 300 in May 2025<br clear="all"> Deck & Construction End grain balsa core sandwich with moulded fiberglass on both sides areas where winches and major deck fittings are fixed are reinforced by replacing the balsa core with plywood, or by using backing plates or large diameter washers depending on type of fitting Teak deck is laid from 12mm first class teak ribs bonded to the deck with polyurethane, and in certain areas secured by stainless steel screws. - New complete caulking done 2016 Teak in the cockpit is laid from 12 mm first class teak ribs bonded to the deck with Rudder <are stainless steel <are stainless steel <are stainless steel</ar> Lifting lug is fastened to the keel bolts mat, for maximum strength. li>The rudder stock is of stainless steel with two roller bearings & amp;ndash; New upper and lower Jefa bearings together with a new gaiter installed 2021 equipment Seld&eacute;n, mast of aluminium alloy oval section Double swept back spreaders in aluminium Kip> li> Mist de-stepped and all wire rig renewed before sale 2012 are internal. Spinnaker pole track Seldén spinnaker boom Seldén boom with single line reefing system. 3 Reefs and outhaul internally in boom Lines lead to cockpit winches Seldén headsail furler Harken mast cars – New delrin balls installed 2022 Self-tacking track for jib installed 2024 Lewmar jammers Navtec manual hydraulic panel fitted on inside of transom which operates Backstay and Vang backstay & amp; ndash; New cylinder seals installed 2021 Whitlock Wheel steering with emergency tiller Running rigging continuously renewed when needed Sails North Sails Full Batten Mainsail NPC Radian NorDac NDR 9.0 – New 2022 North Sails Self-tacking Furling Jib with Battens NPC Cross-Cut NorDac ND94HA – New 2022 Cruising chute by North Sails with diving girl logo - hardly used storm mainsail (orange) by North. – Unused Separate track and cars on mast for storm mainsail Winches 2x Andersen 52ST electrical primary winches <x Andersen 52ST electrical primary winches 46ST electrical control line winches/li> 2x Andersen 46ST 2-speed mainsheet winches/li> General deck equipment Double lifelines with gates Several Marine Folding Pad Eye's in cockpit for safety lines

of safety lines Ii>Transom opens up to provide a platform for swimming including foldable Bathing ladder that folds away inside the transom Aft stowage lockers on both sides and forward locker with built in lights on boom above cockpit tablesAli>Masthead and conventional navigation lights, Deck flood lights. & Camp;ndash; New 2021 205-folded cockpit table folds into bag for stowage Small cockpit table for mounting on pedestal in stowage bag Small drinks holder mounted on pedestal Lewmar Ocean hatches to forward cabin, main cabin, and forward toilet. - All new 2021 hatch Ensign and staff <covers, Cushions Canvas Sprayhood over entrance hatch can be towed flush - New 2022 stainless steel frame - New 2022 Boom cover – Upgraded 2025 6 Cockpit cushions – New 2021 Tender &amp; Outboard Zodiac Cadet 260 Aero a 4-person inflatable tender & amp; ndash; New 2014 Navigation Lights Navigation lights Tri-color masthead light Engine &amp; Saildrive Volvo Penta TMD22 4-cylinder turbo-charged diesel engine 78hp, with about 3200 engine hours exchanger Water-cooled exhaust system in reinforced rubber hose through silencer. New outlet rubber house from engine & amp; ndash; 2012. Engine housing/stair lifts on gas struts, for easy access of engine Drev 2025 Propulsion & Drev 2025 diameter 52&Idquo;. New Elk hide for replacement included Emergency steering gear Volvo Penta single controller and instrument panel in cockpit Side Power SE 100/185T-24V-IP bow thruster with control at helm pedestal. - New 2018 Life saving LALIZAS ISO-RAFT, 8 Persons – New 2022 Grab Bag 8/10-persons W/O flares - New 2022 Ocean Signal Epirb. - New 2016 2 x Horseshoe life rings & amp; ndash; 2021 Throw bag & amp; ndash; New 2022 Jackstays on both sides of the deck for hooking on safety lines4 safety lines - New 20216 Fire extinguishers - New 2022 Flares and parachutes package & amp; ndash; New 2022 Mast-mounted radar reflector Safety equipment General note on safety equipment: Any safety equipment such as liferafts, Epirbs, fire extinguishers and flares etc. are usually personal to the current owner(s) and if being left on-board as part of the sale of a used vessel they may require routine servicing, replacement, or changing to meet specific needs of the new owner Anchoring & amp; Mooring Anchorlift, Mako 1500, 24V DC, 1500 W, capstan model, electric anchor windlass with control at cockpit and mounted in forward locker. - New 2016 27 kg anchor with 10 mm, 75 m chain - New chain 2016 Extra folding lightweight anchor with chain and rope 2x cleats on aft deck, 2x cleats amidship and 2 x cleats on bow 10x Fenders Soathook Iot of warps and ropes for mooring and other needs Electrical systems 24V DC primary domestic system with 12V DC start/Instrument circuit and 230V AC via shore power or 1500 W inverter corrosion Fischer Panda 6 KW super silent marine - diesel generator - is mounted in the starboard aft locker and connects seamlessly to the 230 V AC system 2025 1025 1025 1025 1036 1037 10 Ah 24 V DC & amp;ndash; New 2023-/li> Ii> Mastervolt 60 A battery charger adjusted for 12 V lead-start battery and 24 V Li-consumer batteries. - New 2025 1500 W Mastervolt inverter 50 A 12 V DC engine-mounted alternator for charging start battery S A 24 V DC engine-mounted alternator for charging service bank regulator for 24 V DC alternator Two 24/12 V voltage converters for alarm and instrument systems Xantrex linkPro battery monitor for main and auxiliary batteries. - New 2022 Shore power supply with several lamps for all individual circuits. Hand operated main brakers for large loads such as House, Engine, Winches, Bow truster & amp; hellip; are located in navigator seat cabinet. systems 24V DC pressure water system with pressure pump and accumulator tank & pressure pump. New pump 2025 Hot water supplied via engine cooling with 40 I calorifier or via 230V AC immersion heater element. & amp; ndash; New heater element 2021 and shower at stern platformShower at stern platform. - New 2022Gas bottles are mounted in drained compartments at the stern gate. Electrical shut-off valve manoeuvre in galley and pressure reducing valve are mounted on service bottle. Copper piping is led to the galley where a separate manual shut-off valve is mounted. Hose to Cooker Water maker - Freshwater AB ENWA (MT1800) 75 I/hour (reverse osmosis desalination unit). - Not operated for many years and condition unknown with auto manual control & amp; ndash; New 2023 through hull with ball valve seacocks. - All hull penetrations under water line including valves were renewed 2021 Through bottom fittings and other piping fittings are bronze Double hose clamps on all through hull points Hoses are normally reinforced flexible PVC polyethylene Tanks <10>470 I diesel capacity in 2x stainless steel tanks located under aft beds with inspection hatches, filled and ventilated from transom Fuel pump, located at port fuel tank. - New 2023 x analogue Fuel tank level gauge at chart table 430 I freshwater capacity in 2x stainless steel tanks located under the saloon seats with inspection hatches, holding tanks servicing forward and aft heads point Navigation and communication Raymarine C97 multifunction colour GPS radar chart plotter - New 2014 Raymarine RD 418D W digital closed-array radar scanner on mast - New 2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
2014
20 depth, wind, etc. mounted under sprayhood Autohelm ST7000 with gyro compass connected to the Raymarine i70 autopilot. Suunto, lit steering compass at helm pedestal Raymarine ST 60 wind multi display at navigation chair Stationary Raymarine VHF, 315, with DSC and speaker in cockpit - New 2021 antenna in mast top. - New 2024 Handheld VHF, Icom, with charger. - New 2021 Raymarine AIS 650 Class B AIS transponder - New 2014 GPS position alarm and control system. Can turn on and off charging. - New 2025 Domestic equipment Twin stainless steel sinks with a single lever mixing tap Gimballed 4-hob cooker with grill and oven - GN Espace & amp;Idquo;Levante& amp;rdquo; (2009) Isotherm stainless steel 160 litre top-opening water-cooled fridge/freezer with 24V DC compressor. New Compressor 2014 Front-open water-cooled Frigonautica MF80RC Refrigerator 24V DC compressor. - New 2024. Compressor from 2014. Li>Eberspacher 5kw diesel-fired hot air heating system with outlets in all cabins, saloon, heads and wet locker. 24V DC ventilation fans in cabins and saloon. Ventilation consisting of opening skylights, dorade and opening portlights Engine space air extraction outlet into cockpit Ample overhead lights and chromed bulkhead reading lights at settees and berths LED throughout. speakers in saloon and 2 x waterproof speakers above companionway next to instruments in cockpit. Accommodation general Aft cockpit layout with six full length berths in three double cabins plus one further master saloon settee berth. Forward and aft day heads with showers. Accommodation finish Marine grade waterproof core, faced with selected cherrywood is used in all bulkheads and major joinery Specially selected solid cherrywood in frames and doors main bulkheads bonded to hull and deck, using glass fibre and polyester sides with foam backed vinyl lockers equipped with lights Cushions in high quality foam Deckhead blinds and pleated blinds for side ports with roller blinds in aft cabin Forward heads Moulded upper and bottom section. Bottom section is drained by electric pump Separate shower stall Shower with automatic temperature control shower grating Stainless steel wash basin Manual toilet in forward heads compartment with shut of valve to above holding tank & amp; ndash; New 2014 Lockers with mirrors above toilet and wash basin. Mirrored glass replaced 2021 Master Cabin Queen sized double berth to port with sprung mattress and thick bedding mattress Cabinets along port hull side Drawer and cabinet under berth Cabinets and hanging lockers on SB side Lockable safety box in one of the hanging lockers Lee cloth for master bed Main Saloon Dinette arrangement with table on port side. Bottle storage in table Starboard side has a navigation station with chart table and separate chart stowage and a separate locker for glass. Underneath the table there is an 80 I refrigerator and bottle storage Wooden, hinged openable instrument panel to access electronic equipment for easy service access CD-Stereo system, electric bilge pumps, power sockets, heating controls etc are easily accessible U-shaped galley Corian countertop 160l fridge/freezer in GRP with Plexiglas dividers between fridge and a freezer. Freezer area drained to a separate container Drawer section, cutting board, dry food locker Gas stove with four burners and oven Double overhead cupboards Waste basket and storage below sink Aft Heads Moulded compartment fitted between bulkheads lockers with mirrored doors above wash basin unit foldaway extra seat Ali>Manual toilet in aft heads compartment with shut of valve to above holding tank. New 2014
2014
2014
2014
2014
2014
2014
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
2015
20

Accommodation :

Additional Information

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Inventory :

Mechanical :

<!--[if 91><xml> <o:DocumentProperties> <o:Author>Paul Clutterbuck</o:Author> qte <o:Template>Normal</o:Template> <o:LastAuthor>Paul Clutterbuck</o:LastAuthor> <o:Revision>1</o:Revision> <o:TotalTime>13</o:TotalTime> <o:Created>2025-10-15T14:45:00Z</o:Created> <o:LastSaved>2025-10-15T14:58:00Z</o:LastSaved> <o:Pages>12</o:Pages> <o:Words>2693</o:Words> <o:Characters>15354</o:Characters> <o:Lines>127</o:Lines> <o:Paragraphs>36</o:Paragraphs> <o:CharactersWithSpaces>18011</o:CharactersWithSpaces> <o:Version>16.00</o:Version> </o:DocumentProperties> <o:OfficeDocumentSettings> <o:AllowPNG/> </o:OfficeDocumentSettings> </xml><![endif]--><!--[if gte mso 9]><xml> <w:WordDocument> <w:SpellingState>Clean</w:SpellingState> <w:GrammarState>Clean</w:GrammarState> <w:TrackMoves>false</w:TrackMoves> <w:TrackFormatting/> <w:PunctuationKerning/> <w:ValidateAgainstSchemas/> <w:SavelfXMLInvalid>false</w:SavelfXMLInvalid> <w:lgnoreMixedContent>false</w:lgnoreMixedContent> <w:AlwaysShowPlaceholderText>false</w:AlwaysShowPlaceholderText> <w:DoNotPromoteQF/> <w:LidThemeOther>EN-GB</w:LidThemeOther> <w:LidThemeAsian>X-NONE</w:LidThemeAsian> <w:LidThemeComplexScript>X-NONE</w:LidThemeComplexScript> <w:Compatibility> <w:BreakWrappedTables/> <w:SnapToGridInCell/> <w:WrapTextWithPunct/> <w:UseAsianBreakRules/> <w:DontGrowAutofit/> <w:SplitPgBreakAndParaMark/> <w:EnableOpenTypeKerning/> <w:DontFlipMirrorIndents/> <w:OverrideTableStyleHps/> </w:Compatibility> <m:mathPr> <m:mathFont m:val="Cambria Math"/> <m:brkBin m:val="before"/> <m:brkBinSub m:val="--"/> <m:smallFrac m:val="off"/> <m:dispDef/> <m:lMargin m:val="0"/> <m:rMargin m:val="0"/> <m:defJc m:val="centerGroup"/> <m:wrapIndent m:val="1440"/> <m:intLim m:val="subSup"/> <m:naryLim m:val="undOvr"/> </m:mathPr></w:WordDocument> </xml><![endif]--><!--[if gte mso 9]><xml> <w:LatentStyles DefLockedState="false" DefUnhideWhenUsed="false" DefSemiHidden="false" DefQFormat="false" DefPriority="99" LatentStyleCount="376"> <w:LsdException Locked="false" Priority="0" QFormat="true" Name="Normal"/> <w:LsdException Locked="false"</p> Priority="9" QFormat="true" Name="heading 1"/> <w:LsdException Locked="false" Priority="9" SemiHidden="true" UnhideWhenUsed="true" QFormat="true" Name="heading 2"/> <w:LsdException Locked="false" Priority="9" SemiHidden="true" UnhideWhenUsed="true" QFormat="true" Name="heading 3"/> <w:LsdException Locked="false" Priority="9" SemiHidden="true" UnhideWhenUsed="true" QFormat="true" Name="heading 4"/> <w:LsdException Locked="false" Priority="9" SemiHidden="true" UnhideWhenUsed="true" QFormat="true" Name="heading 5"/> Priority="9" <w:LsdException Locked="false"</pre> SemiHidden="true" UnhideWhenUsed="true" QFormat="true" Name="heading 6"/> <w:LsdException Locked="false" Priority="9" SemiHidden="true" UnhideWhenUsed="true" QFormat="true" Name="heading 7"/> Locked="false" Priority="9" SemiHidden="true" <w:LsdException UnhideWhenUsed="true" QFormat="true" Name="heading 8"/> <w:LsdException Locked="false" Priority="9" SemiHidden="true" UnhideWhenUsed="true" QFormat="true" Name="heading 9"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 1"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 4"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 5"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 6"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index 7"/> <w:LsdException Locked="false" SemiHidden="true"

Locked="false" UnhideWhenUsed="true" Name="index 8"/> SemiHidden="true" <w:LsdException UnhideWhenUsed="true" Locked="false" Priority="39" Name="index 9"/> <w:LsdException SemiHidden="true" UnhideWhenUsed="true" Name="toc 1"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 2"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 3"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" 4"/> UnhideWhenUsed="true" Name="toc <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 5"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 6"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" 7"/> UnhideWhenUsed="true" Name="toc <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 8"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true" Name="toc 9"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Normal Indent"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="footnote text"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" text"/> Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="annotation <w:LsdException Name="header"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="footer"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="index heading"/> <w:LsdException Locked="false" Priority="35" SemiHidden="true" UnhideWhenUsed="true" QFormat="true" <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="table of</p> Name="caption"/> figures"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="envelope address"/> Locked="false" SemiHidden="true" UnhideWhenUsed="true" <w:LsdException Name="envelope return"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="footnote reference"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="annotation reference"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="line number"/> <w:LsdException</p> Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="page number"/> <w:LsdException Locked="false" Name="endnote SemiHidden="true" UnhideWhenUsed="true" reference"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="endnote text"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="table of authorities"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="macro"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="toa heading"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 4"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List 5"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List **Bullet** 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List **Bullet** 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 4"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Bullet 5"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Number 2"/> Locked="false" SemiHidden="true" Name="List <w:LsdException UnhideWhenUsed="true" 3"/> Locked="false" SemiHidden="true" Name="List Number <w:LsdException UnhideWhenUsed="true" <w:LsdException Name="List Number 4"/> Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Number 5"/> <w:LsdException Locked="false" Priority="10" QFormat="true" Name="Title"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Closing"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Signature"/> <w:LsdException</p> Locked="false" Priority="1" SemiHidden="true" UnhideWhenUsed="true" Name="Default Paragraph Font"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text"/> <w:LsdException</p> Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 4"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="List Continue 5"/> <w:LsdException Locked="false"

SemiHidden="true" UnhideWhenUsed="true" Name="Message Header"/> <w:LsdException Locked="false" Priority="11" QFormat="true" Name="Subtitle"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Salutation"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Date"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text First Indent"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text First Indent 2"/> SemiHidden="true" UnhideWhenUsed="true" Name="Note Heading"/> <w:LsdException Locked="false" <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text 2"/> <w:LsdException</p> Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text 3"/> <w:LsdException Locked="false" UnhideWhenUsed="true" Name="Body Text Indent 2"/> <w:LsdException Locked="false" SemiHidden="true" SemiHidden="true" UnhideWhenUsed="true" Name="Body Text Indent 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Block Text"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Hyperlink"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="FollowedHyperlink"/> <w:LsdException Locked="false" Priority="22" QFormat="true" Name="Strong"/> <w:LsdException Locked="false" Priority="20" QFormat="true" Name="Emphasis"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Document Map"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Plain Text"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="E-mail Signature"/> <w:LsdException Locked="false" UnhideWhenUsed="true" of Form"/> SemiHidden="true" Name="HTML Top <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Bottom of Form"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Normal (Web)"/> Locked="false" <w:LsdException SemiHidden="true" UnhideWhenUsed="true" Name="HTML <w:LsdException Locked="false" Acronym"/> SemiHidden="true" UnhideWhenUsed="true" Name="HTML Address"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Cite"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Code"/> Locked="false" SemiHidden="true" <w:LsdException Definition"/> UnhideWhenUsed="true" Name="HTML <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Keyboard"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Preformatted"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Sample"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Typewriter"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="HTML Variable"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Normal Table"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="annotation subject"/> <w:LsdException Locked="false" SemiHidden="true" Name="No UnhideWhenUsed="true" List"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" 1"/> <w:LsdException SemiHidden="true" Name="Outline List Locked="false" UnhideWhenUsed="true" Name="Outline List 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Outline List 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table **Simple** 1"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table 2"/> <w:LsdException Locked="false" SemiHidden="true" **Simple** UnhideWhenUsed="true" Name="Table **Simple** 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table 1"/> Locked="false" SemiHidden="true" Classic <w:LsdException UnhideWhenUsed="true" Name="Table 2"/> Locked="false" SemiHidden="true" Classic <w:LsdException UnhideWhenUsed="true" Name="Table Classic 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table 4"/> <w:LsdException Locked="false" SemiHidden="true" Classic UnhideWhenUsed="true" Name="Table Colorful 1"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Colorful 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table 3"/> Locked="false" SemiHidden="true" Colorful <w:LsdException UnhideWhenUsed="true" 1"/> SemiHidden="true" Name="Table Columns <w:LsdException Locked="false" 2"/> UnhideWhenUsed="true" Name="Table Columns <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 4"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Columns 5"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 1"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Grid 4"/> Name="Table <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 5"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 6"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Grid 7"/> <w:LsdException Locked="false" SemiHidden="true" Grid 8"/> UnhideWhenUsed="true" Name="Table <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 1"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 3"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 4"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 5"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table List 6"/> <w:LsdException Locked="false" SemiHidden="true" Name="Table UnhideWhenUsed="true" List 7"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" 8"/> SemiHidden="true" Name="Table List <w:LsdException Locked="false" UnhideWhenUsed="true" Name="Table 3D effects 1"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table 3D effects 2"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table effects 3"/> <w:LsdException Locked="false" SemiHidden="true" Name="Table <w:LsdException SemiHidden="true" UnhideWhenUsed="true" Locked="false" Contemporary"/> UnhideWhenUsed="true" Name="Table <w:LsdException Locked="false" SemiHidden="true" Elegant"/> UnhideWhenUsed="true" Name="Table SemiHidden="true" Professional"/> <w:LsdException Locked="false" UnhideWhenUsed="true" Name="Table Subtle 1"/> Locked="false" SemiHidden="true" <w:LsdException UnhideWhenUsed="true" Name="Table Subtle 2"/> <w:LsdException Locked="false" SemiHidden="true" 1"/> UnhideWhenUsed="true" Name="Table SemiHidden="true" Web <w:LsdException Locked="false" UnhideWhenUsed="true" Web 2"/> SemiHidden="true" Name="Table <w:LsdException Locked="false" 3"/> UnhideWhenUsed="true" Name="Table Web <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Balloon Text"/> <w:LsdException Locked="false" Priority="39" Name="Table Grid"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Table Theme"/> <w:LsdException</p> SemiHidden="true" Name="Placeholder Text"/> <w:LsdException Locked="false" Priority="1" QFormat="true" Name="No Spacing"/> <w:LsdException Locked="false" Priority="60" Name="Light Shading"/> <w:LsdException Locked="false" Priority="61" Name="Light List"/> <w:LsdException Locked="false" Priority="62"</p> Name="Light Grid"/> <w:LsdException Locked="false" Priority="63" Name="Medium Shading 1"/> <w:LsdException Priority="64" Name="Medium Shading 2"/> <w:LsdException Locked="false" Name="Medium List 1"/> <w:LsdException Locked="false" Priority="66" Name="Medium List 2"/> <w:LsdException Locked="false" Priority="67" Name="Medium Grid 1"/> <w:LsdException Locked="false" Priority="68" Name="Medium Grid 2"/> <w:LsdException Locked="false" Priority="69" Name="Medium Grid 3"/> <w:LsdException Locked="false" Priority="70" Name="Dark List"/> <w:LsdException Locked="false" Priority="71" Name="Colorful Shading"/> <w:LsdException Locked="false" Priority="72" Name="Colorful List"/> <w:LsdException Locked="false" Priority="73"</p> Name="Colorful Grid"/> <w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 1"/> <w:LsdException Locked="false" Priority="61" Name="Light List Accent 1"/> <w:LsdException Locked="false"</p> Priority="62" Name="Light Grid Accent 1"/> <w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 1"/> <w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 1"/> <w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 1"/> <w:LsdException Locked="false" SemiHidden="true" Name="Revision"/> <w:LsdException Locked="false" Priority="34" QFormat="true" Name="List Paragraph"/> <w:LsdException Locked="false" Priority="29" QFormat="true" Name="Quote"/> <w:LsdException Locked="false"</p> Priority="30" QFormat="true" Name="Intense Quote"/> <w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 1"/> <w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 1"/> <w:LsdException Locked="false" Priority="68" Name="Medium Grid 2 Accent 1"/> <w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 1"/> <w:LsdException Locked="false" Priority="70" Name="Dark List Accent 1"/> <w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 1"/> <w:LsdException Locked="false"</p> Priority="72" Name="Colorful List Accent 1"/> <w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 1"/> <w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 2"/> <w:LsdException Locked="false" Priority="61" Name="Light List Accent 2"/> <w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 2"/> <w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 2"/> <w:LsdException

3"/>

<w:LsdException

Locked="false"

SemiHidden="true"

Grid

Name="Table

UnhideWhenUsed="true"

Locked="false" Priority="64" Name="Medium Shading 2 Accent 2"/> <w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 2"/> <w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 2"/> <w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 2"/> <w:LsdException Locked="false"</p> Priority="68" Name="Medium Grid 2 Accent 2"/> <w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 2"/> <w:LsdException Locked="false" Priority="70" Name="Dark List Accent 2"/> <w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 2"/> <w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 2"/> <w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 2"/> <w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 3"/> <w:LsdException Locked="false"</p> Priority="61" Name="Light List Accent 3"/> <w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 3"/> <w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 3"/> <w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 3"/> <w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 3"/> <w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 3"/> <w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 3"/> <w:LsdException Locked="false"</p> Priority="68" Name="Medium Grid 2 Accent 3"/> <w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 3"/> <w:LsdException Locked="false" Priority="70" Name="Dark List Accent 3"/> <w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 3"/> <w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 3"/> <w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 3"/> <w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 4"/> <w:LsdException Locked="false"</p> Priority="61" Name="Light List Accent 4"/> <w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 4"/> <w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 4"/> <w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 4"/> <w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 4"/> <w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 4"/> <w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 4"/> <w:LsdException Locked="false"</p> Priority="68" Name="Medium Grid 2 Accent 4"/> <w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 4"/> <w:LsdException Locked="false" Priority="70" Name="Dark List Accent 4"/> <w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 4"/> <w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 4"/> <w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 4"/> <w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 5"/> <w:LsdException Locked="false"</p> Priority="61" Name="Light List Accent 5"/> <w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 5"/> <w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 5"/> <w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 5"/> <w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 5"/> <w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 5"/> <w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 5"/> <w:LsdException Locked="false"</p> Priority="68" Name="Medium Grid 2 Accent 5"/> <w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 5"/> <w:LsdException Locked="false" Priority="70" Name="Dark List Accent 5"/> <w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 5"/> <w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 5"/> <w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 5"/> <w:LsdException Locked="false" Priority="60" Name="Light Shading Accent 6"/> <w:LsdException Locked="false"</p> Priority="61" Name="Light List Accent 6"/> <w:LsdException Locked="false" Priority="62" Name="Light Grid Accent 6"/> <w:LsdException Locked="false" Priority="63" Name="Medium Shading 1 Accent 6"/> <w:LsdException Locked="false" Priority="64" Name="Medium Shading 2 Accent 6"/> <w:LsdException Locked="false" Priority="65" Name="Medium List 1 Accent 6"/> <w:LsdException Locked="false" Priority="66" Name="Medium List 2 Accent 6"/> <w:LsdException Locked="false" Priority="67" Name="Medium Grid 1 Accent 6"/> <w:LsdException Locked="false"</p> Priority="68" Name="Medium Grid 2 Accent 6"/> <w:LsdException Locked="false" Priority="69" Name="Medium Grid 3 Accent 6"/> <w:LsdException Locked="false" Priority="70" Name="Dark List Accent 6"/> <w:LsdException Locked="false" Priority="71" Name="Colorful Shading Accent 6"/> <w:LsdException Locked="false" Priority="72" Name="Colorful List Accent 6"/> <w:LsdException Locked="false" Priority="73" Name="Colorful Grid Accent 6"/> <w:LsdException Locked="false" Priority="19" QFormat="true" Name="Subtle Emphasis"/> <w:LsdException</p> Locked="false" Priority="21" QFormat="true" Name="Intense Emphasis"/> <w:LsdException Locked="false" Priority="31" QFormat="true" Name="Subtle Reference"/> <w:LsdException Locked="false" QFormat="true" Name="Intense Reference"/> <w:LsdException Locked="false" Priority="33" QFormat="true" Name="Book Title"/> <w:LsdException Locked="false" Priority="37" SemiHidden="true" UnhideWhenUsed="true" Name="Bibliography"/> <w:LsdException Locked="false" Priority="39" SemiHidden="true" UnhideWhenUsed="true"

QFormat="true" Name="TOC Heading"/> <w:LsdException Locked="false" Priority="41" Name="Plain Table 1"/> <w:LsdException Locked="false" Priority="42" Name="Plain Table 2"/> <w:LsdException Locked="false" Priority="43"</p> Name="Plain Table 3"/> <w:LsdException Locked="false" Priority="44" Name="Plain Table 4"/> <w:LsdException Locked="false" Priority="45" Name="Plain Table 5"/> <w:LsdException Locked="false" Priority="40" Name="Grid Table Light"/> <w:LsdException Locked="false" Priority="46" Name="Grid Table 1 Light"/> <w:LsdException Locked="false" Priority="47" Name="Grid Table 2"/> <w:LsdException Locked="false" Priority="48" Name="Grid Table 3"/> <w:LsdException Locked="false" Priority="49" Name="Grid Table 4"/> <w:LsdException Locked="false" Priority="50"</p> Name="Grid Table 5 Dark"/> <w:LsdException Locked="false" Priority="51" Name="Grid Table 6 Colorful"/> <w:LsdException Locked="false" Priority="52" Name="Grid Table 7 Colorful"/> <w:LsdException Locked="false"</p> Priority="46" Name="Grid Table 1 Light Accent 1"/> <w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 1"/> <w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 1"/> <w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 1"/> <w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 1"/> <w:LsdException Locked="false" Priority="51" Name="Grid Table 6 Colorful Accent 1"/> <w:LsdException Locked="false" Priority="52" Name="Grid Table 7 Colorful Accent 1"/> <w:LsdException Locked="false" Priority="46" Name="Grid Table 1 Light Accent 2"/> <w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 2"/> <w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 2"/> <w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 2"/> <w:LsdException Locked="false"</p> Priority="50" Name="Grid Table 5 Dark Accent 2"/> <w:LsdException Locked="false" Priority="51" Name="Grid Table 6 Colorful Accent 2"/> <w:LsdException Locked="false" Priority="52" Name="Grid Table 7 Colorful Accent 2"/> <w:LsdException Locked="false" Priority="46" Name="Grid Table 1 Light Accent 3"/> <w:LsdException Locked="false"</p> Priority="47" Name="Grid Table 2 Accent 3"/> <w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 3"/> <w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 3"/> <w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 3"/> <w:LsdException Locked="false" Priority="51" Name="Grid Table 6 Colorful Accent 3"/> <w:LsdException Locked="false" Priority="52" Name="Grid Table 7 Colorful Accent 3"/> <w:LsdException Locked="false" Priority="46" Name="Grid Table 1 Light Accent 4"/> <w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 4"/> <w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 4"/> <w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 4"/> <w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 4"/> <w:LsdException Locked="false"</p> Priority="51" Name="Grid Table 6 Colorful Accent 4"/> <w:LsdException Locked="false" Priority="52" Name="Grid Table 7 Colorful Accent 4"/> <w:LsdException Locked="false" Priority="46" Name="Grid Table 1 Light Accent 5"/> <w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 5"/> <w:LsdException Locked="false"</p> Priority="48" Name="Grid Table 3 Accent 5"/> <w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 5"/> <w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 5"/> <w:LsdException Locked="false" Priority="51" Name="Grid Table 6 Colorful Accent 5"/> <w:LsdException Locked="false" Priority="52" Name="Grid Table 7 Colorful Accent 5"/> <w:LsdException Locked="false" Priority="46" Name="Grid Table 1 Light Accent 6"/> <w:LsdException Locked="false" Priority="47" Name="Grid Table 2 Accent 6"/> <w:LsdException Locked="false" Priority="48" Name="Grid Table 3 Accent 6"/> <w:LsdException Locked="false" Priority="49" Name="Grid Table 4 Accent 6"/> <w:LsdException Locked="false" Priority="50" Name="Grid Table 5 Dark Accent 6"/> <w:LsdException Locked="false" Priority="51" Name="Grid Table 6 Colorful Accent 6"/> <w:LsdException</p> Locked="false" Priority="52" Name="Grid Table 7 Colorful Accent 6"/> <w:LsdException Locked="false" Priority="46" Name="List Table 1 Light"/> <w:LsdException Locked="false" Priority="47" Name="List Table 2"/> <w:LsdException Locked="false" Priority="48" Name="List Table 3"/> <w:LsdException Locked="false" Priority="49" Name="List Table 4"/> <w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark"/> <w:LsdException Locked="false" Priority="51" Name="List Table 6 Colorful"/> <w:LsdException Locked="false" Priority="52" Name="List Table 7 Colorful"/> <w:LsdException Locked="false" Priority="46" Name="List Table 1 Light Accent 1"/> <w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 1"/> <w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 1"/> <w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 1"/> <w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 1"/> <w:LsdException Locked="false" Priority="51" Name="List Table 6 Colorful Accent 1"/> <w:LsdException Locked="false" Priority="52" Name="List Table 7 Colorful Accent 1"/> <w:LsdException Locked="false" Priority="46" Name="List Table 1 Light Accent 2"/> <w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 2"/> <w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 2"/> <w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 2"/> <w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 2"/> <w:LsdException Locked="false" Priority="51"

Name="List Table 6 Colorful Accent 2"/> <w:LsdException Locked="false" Priority="52" Name="List Table 7 Colorful Accent 2"/> <w:LsdException Locked="false" Priority="46" Name="List Table 1 Light Accent 3"/> <w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 3"/> <w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 3"/> <w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 3"/> <w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 3"/> <w:LsdException Locked="false" Priority="51" Name="List Table 6 Colorful Accent 3"/> <w:LsdException Locked="false" Priority="52" Name="List Table 7 Colorful Accent 3"/> <w:LsdException Locked="false" Priority="46" Name="List Table 1 Light Accent 4"/> <w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 4"/> <w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 4"/> <w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 4"/> <w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 4"/> <w:LsdException Locked="false" Priority="51" Name="List Table 6 Colorful Accent 4"/> <w:LsdException Locked="false" Priority="52" Name="List Table 7 Colorful Accent 4"/> <w:LsdException Locked="false" Priority="46" Name="List Table 1 Light Accent 5"/> <w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 5"/> <w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 5"/> <w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 5"/> <w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 5"/> <w:LsdException Locked="false" Priority="51" Name="List Table 6 Colorful Accent 5"/> <w:LsdException Locked="false" Priority="52" Name="List Table 7 Colorful Accent 5"/> <w:LsdException Locked="false" Priority="46" Name="List Table 1 Light Accent 6"/> <w:LsdException Locked="false" Priority="47" Name="List Table 2 Accent 6"/> <w:LsdException Locked="false" Priority="48" Name="List Table 3 Accent 6"/> <w:LsdException Locked="false" Priority="49" Name="List Table 4 Accent 6"/> <w:LsdException Locked="false" Priority="50" Name="List Table 5 Dark Accent 6"/> <w:LsdException Locked="false" Priority="51" Name="List Table 6 Colorful Accent 6"/> <w:LsdException Locked="false" Priority="52" Name="List Table 7 Colorful Accent 6"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Mention"/> SemiHidden="true" Locked="false" UnhideWhenUsed="true" Name="Smart <w:LsdException Hyperlink"/> <w:LsdException Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Hashtag"/> <w:LsdException</p> SemiHidden="true" UnhideWhenUsed="true" Name="Unresolved Mention"/> <w:LsdException Locked="false" Locked="false" SemiHidden="true" UnhideWhenUsed="true" Name="Smart Link"/> </w:LatentStyles> </mml><![endif]--><!--[if gte mso 10]> <style> /* Style Definitions */ table.MsoNormalTable {mso-style-name:"Table mso-tstyle-rowband-size:0; mso-tstyle-colband-size:0; mso-style-noshow:yes; mso-style-priority:99; mso-style-parent:""; mso-padding-alt:0cm 5.4pt 0cm 5.4pt; mso-para-margin-top:0cm; mso-para-margin-right:0cm; mso-para-margin-bottom:8.0pt; mso-para-margin-left:0cm; line-height:115%; mso-pagination:widow-orphan; font-size:12.0pt; font-family: "Aptos", sans-serif; mso-ascii-font-family:Aptos; mso-ascii-theme-font:minor-latin; mso-hansi-font-family:Aptos; mso-hansi-theme-font:minor-latin; mso-font-kerning:1.0pt; mso-ligatures:standardcontextual; mso-fareast-language:EN-US;} </style> <![endif]--><!--[if gte mso 9]><xml> <o:shapedefaults v:ext="edit" spidmax="1026"/> </xml><![endif]--><!--[if gte mso 9]><xml> <o:shapelayout v:ext="edit"> <o:idmap v:ext="edit" data="1"/> </o:shapelayout></xml><![endif]-->

Media































































































































































































































Harmonious living

A Sweden Yachts 45 is primarily built for sailing, but it is also a yeartif for humilious living affast. Functionality and comfort rule the quarters below deck. The yacht is really spacious, with a roomy saloon for entertain-ing, three double cabins and two generous ing, these double cabins and two generous head compartments with shower. There is locker and stowage space aplenty, and space prepared for several carbon-made glas and drinks cabinets and an ico-maker. The golley itself would sharne many a modern epartment for design, equipment and consolidations. Exempliance of text is and convenience. Everything, in fact, is planned and crafted to bring extra comfort and pleasure to your leisure on board the Sweden Wichts 45.



Goldry
 Robert Self-self-self-shower.
 Marchade for wet weather gear.
 Marchade for wet weather gear.
 Gas struct operated engine cover/se.































Harmonious living

A Sweden Yachts 45 in presently built for saling, but it is alors a yacht for issurations living affect. Functionality and comfort rule the quarters below deck. The yacht is resignly specious, with a normy sation for enorthining, three doubtle cabins and two generous tead compartments with shown. There is locker and stowage space agency, and space prepared for several custom-made glass and disriks cabiness and an ice-maker. The galley itself would shame many a modern apartment for design, equipment and convenience. Everything, in fact, is planned and crafted to bring outra comfort and pleasure to your lessure on board the Sweden Yillichts 45.



- Forward hand compartment with roder and showing
- 2. Owner's cabin with cony come
- 7. Sature
- 4. Novqueurs on
- 5. Golley
- 6. Head compartment with showing
- 7. Handrobs for wat wanter gase
- Ges struct operated engine cover/staincase.
- P. Double cabbro.