

35 - 1991

https://www.yachtadvert.com/1618-tradewind-35.html



General

Year : 1991 Length : 35.00 Ft Draft : 0.00 Ft

Area: Plymouth, United Kingdom

Builder : Tradewind Material : GRP Beam : 10.00 Ft Life Raft : No

Leasing in progress : No

Engines

Fuel: Diesel Engine Brand: Nanni 4.180

Power Unit. (HP): 42 Engine(s): 1

Facilities

Flybridge: No Helm: No

Electronics

Autopilot : No Radar : No
GPS : No Sounder : No
VHF : No Chartplotter : No
Watermaker : No Converter 12/220 : No

Bridge equipment

Hydrolic Gangway : No
Bath platform : No
Davits : No

Winter cover : No
Sprayhood : No
Cockpit awning : No
Teak cockpit : No
Teak deck : No
Furling mainsail : No
Spinnaker : No

ор.....

Main equipment

Stern thruster : No

AC : No

Marine Generator : No

Black Water : No
Tender : No
Flaps : No

Tender Engine : No

Household appliances

Freezer: No IceMaker: No Microwaves: No Oven: No Electric stove: No Gas stove: No Washing machine: No Heater: No TV antenna: No Dishwasher: No

SAT-TV: No TV: No

Various

Remarks :

This Tradewind 35 is a fantastic example, she has been well updated over the years and her condition is also extremely good.

She is currently on the hard standing so a perfect time to inspect the underwater profile, she has been epoxy coated and professionally paint colour spreayed.

Accommodation :

Accommodation:

Sleeps 4 in one double cabin & Damp; amp; two single berth in the saloon

The accommodation below is designed for comfort afloat and practicality when under way. Utilising the skills of experienced craftsmen, they are built to uncompromising standards. The teak trim and attention to detail are evident throughout. The layout provides a spacious saloon boasting over six-foot headroom, a galley with large work areas and a chart table ideally positioned for the navigator's comfort. Further forward the roomy, well-appointed shower/ head compartment complements the Owner's cabin and adjacent locker area

Forward Cabin:
Double berth with hanging locker and storage lockers
Access to chain locker
Reading lights

Heads:

Positioned aft of the forward cabin to port

Lavac marine toilet

Shower from basin

Hand basin with hot and cold pressurised water

Saloon:

Bench settee seating to port and starboard (2 x single berths) with storage behind and beneath

Lockers, bookshelves and drop-leaf saloon table

Teak interior construction with white headlining

Approx 7ft headroom

Galley:

L- shaped galley to port aft of the saloon

Taylors gimballed two-burner gas cooker with grill and oven

Stainless steel sink with mixer tap, pressurised hot and cold water

Top-loading 12v refrigeration

Cupboards & amp; amp; storage lockers

Chart Table:

Forward facing to starboard (opposite Galley)

Chart stowage

Main switch panel

Main battery isolator beneath seat

Wet-locker aft

Inventory :

Navigation Aids:

Raymarine ACU-100 Actuator Control Unit with p70 Pilot Controller (NEW 2021)

Raymarine i50/i60 Log/Speed/Depth/Wind (NEW 2015)

Furuno GPS navigator GP-50 Mark-3

Garmin GPS72 Handheld Personal Navigator

ICOM IC-M323 DSC VHF

Raymarine Dragonfly 5 cockpit GPS (attaches to binnacle)

Whitlock steering compass

Ground Tackle:

Lofrans manual windlass

Twin bow roller

35lb Bower CQS anchor with 70 metres calibrated chain & Damp; 30 metres warp

Spare kedge anchor

Deck Gear:

2x Andersen #28 2-speed ST

2x Andersen #46 2-speed ST

Stainless steel pushpit and pulpit

Stainless steel guardwire

Fire blanket

Teak grab rails on coachroof

Safety Equipment:

Navigation lights

Radar reflector

Mast light

Deck light

Steaming light

Manual bilge pump

Electric bilge pump

Horseshoe lifebuoy

Gas detector

Equipment:

Canvas sprayhood with stainless steel frame

Canvas stackpack

Mechanical :

Construction:

Tradewind 35

Built by Blondecell in 1991/2, commissioned in 1992.

Designed by John Rock

GRP hull deck a& superstructure

Teak capping rails

Teak cockpit sole & Damp; seating (Teak replaced on seating 2022)

Deck paint reapplied March 2023

Whitlock wheel steering system (clamp replaced 2018)

Long Keel

Keel hung rudder

Re- Epoxied keel (2015/2016)

Comes out annually for maintenance

Mechanics:

Nanni 4.180 42hp 4-cylinder diesel engine

Heat exchanger rebuilt & amp; amp; exhaust elbow replaced 2022

Raw water seacock replaced 2017

Approximately 600 hours running

Shaft drive

Morse controls

3-bladed propeller

Electricis:

12v system

2 x service batteries

1 x engine battery

Charged by engine alternator, battery charger & Darp; solar

Shore power with cable

Solar panel mounted forward of companionway (NEW 2020)

Spectra Solar charge controller NC10DU (NEW 2020)

Internal LED lighting (NEW 2021)

Tankage:

Fuel capacity 320 litres in 2 x stainless steel tanks

Fresh Water Capacity 340 litres

Water System:

Pressurised water

hot & cold-water system

Hot water from calorifier with imersion heater&nbsp;(NEW 2019)

Rigging:

Bermudan Cutter Rig

Proctor aluminium alloy mast and spars (1992)

Stainless steel standing rigging (2015)

Terylene running rigging (2015)

Mainsail slab reefing

Harken headsail furling

Spinnaker gear and pole

Frederiksen mainsheet traveller

Detachable inner forestay

2x Andersen #28 2-speed ST (at mast)

2x Andersen #16 2-speed ST (at mast)

Sails:

Mainsail, Quay Sails

2 x staysails

Cruising chute with sock
Storm sail&nbsp;

Media









































































