



26 - 2018

<https://www.yachtadvert.com/2498-sedna-26.html>

34 415 â,- incl vat



General

Year : 2018

Length : 25.00 Ft

Draft : 0.00 Ft

Life Raft : No

Leasing in progress : No

Builder : Sedna

Material : GRP

Beam : 9.00 Ft

keel : Lifting Keel

Area : Keyhaven, United Kingdom

Engines

Engine(s) : 1

Engine Brand : tohatsu

Power Unit. (HP) : 6

Facilities

Flybridge : No

Helm : No

Electronics

Autopilot : No

GPS : No

VHF : No

Watermaker : No

Radar : No

Sounder : No

Chartplotter : No

Converter 12/220 : No

Bridge equipment

Hydrolic Gangway : No

Bath platform : No

Winter cover : No

Sprayhood : No

Teak cockpit : No

Furling mainsail : No

Gangway : No

Davits : No

Electric windlass : No

Cockpit awning : No

Teak deck : No

Furling genoa : No

Spinnaker : No

Main equipment

Stern thruster : No

AC : No

Black Water : No

Tender : No

Bow Thruster : No

Marine Generator : No

Hot water : No

Flaps : No

Tender Engine : No

Household appliances

Freezer : No

Microwaves : No

Electric stove : No

Washing machine : No

TV antenna : No

SAT-TV : No

IceMaker : No

Oven : No

Gas stove : No

Heater : No

Dishwasher : No

TV : No

Various

Remarks :

A lifting keel yacht in great condition.

Accommodation :

Sleep 6 in two Doubles and two singles

Large windows throughout for natural light

Forward V berth with shelving

Large double berth aft under cockpit and port side

Saloon with central folding leaf table and two linear settee/berths

Cupboard and storage throughout

Galley to port side, L-shaped with single sink and cooking hob

Heads to Starboard side with single moulded sink. Electric toilet.

Inventory :

Stainless Steel pushpit and pulpit

Guard wires

Grab handles

Moulded deck grip

6x cleats

Anchor roller with teak step

Warps and fenders

Navigation lights

Mechanical :

Tohatsu MFS6 UL SailPro:6hp 4-stroke outboard

Separate fuel tank
Front-mounted shift lever Trim tab
Anode
Greatly reduced induction noise for a quieter ride
Ultra-low emission, EU and CARB 3-star rating approved
Alternator and rectifier with charging capability

Electrical

1x 12V 110amp/hr domestic battery
Shore power connection with RCD fuse
240V and 12V sockets throughout
12V LED lighting
12V Water pump for galley and heads

Rig

Single spreader Mast with slab reefing mainsail and furling jib
Vela dropping mast, operated by one person
All lines lead aft to cockpit
Mainsail
Jib
Central mainsheet, removable to clear cockpit

Transom hung lifting rudder
Lifting Keel

</p>















www.networkyachtbrokers.com



www.networkyachtbrokers.com











