DUFOUR 325 - 2008

https://www.yachtadvert.com/512-dufour-dufour-325.html



General

Year : 2008 Beam : 11.15 Ft Life Raft : No

Leasing in progress: No

Builder : Dufour Length : 32.32 Ft Hull : Monohull

Area: Alpes-Maritimes, France

Flag: français (France)

Engines

Model : D1-20 Engine Brand : VOLVO PENTA

Power Unit. (HP): 20 Engine(s): 1
Shaft: Saildrive Hours: 115

Facilities

Head: 1 Double Cabin: 2
Berth: 4 WC: Sailor
Flybridge: No Helm: No

Electronics

Autopilot : No Radar : No
GPS : Yes Sounder : Yes
VHF : Yes Chartplotter : No
Watermaker : No Converter 12/220 : No

Bridge equipment

Hydrolic Gangway: No

Bath platform: No

Winter cover: Yes

Sprayhood: Yes

Teak cockpit: Yes

Furling mainsail: No

Gangway: No

Davits: No

Electric windlass: Yes

Cockpit awning: Yes

Teak deck: Yes

Furling genoa: No

Spinnaker: No

Main equipment

Stern thruster : No

AC: Yes

Black Water : No Tender : No Bow Thruster : No Marine Generator : No

Hot water : No Flaps : No

Tender Engine : No

Household appliances

Fridge: 1
Oven: Yes
Gas stove: No
Heater: No
Dishwasher: No

TV : Yes

IceMaker : No
Freezer : No
Microwaves : No
Electric stove : No
Washing machine : No

TV antenna : No SAT-TV : Yes

Various

XBOAT ref :6082.

The owner states: THE BOAT WILL BE AVAILABLE EARLY SEPTEMBER 2025

Dufour 325 Grand Large, built in 2008, model year 2009, general description:

â € ¢ Hand-laminated polyester/fiberglass hull.

â € ¢ NPG gelcoat with first layer of NPG resin-impregnated fabric forming an optimal barrier against osmosis.

â € ¢ Molded keel, laminated floors to the hull. Hull ports in the saloon.

â € ¢ PVC sandwich deck, injection-molded for significant weight savings and excellent finish.

â € ¢ Draft 1.85m, lead keel, keel bolts reinforced with stainless steel plates.

â € ¢ NEW Volvo D120 engine, 115 hours of use.

â € ¢ Semi-elliptical rudder blade, filled with closed-cell foam. Solid stainless steel rudder stock.

â € ¢ Teak handrails on the cabin top. Spinnaker pole track.

â & #128; & cent; Self-draining anchor locker with mooring cleat and integrated windlass support, hatch with lock.

â € ¢ Stem fitting with single roller davit. Fore deck with wooden seating and green/red navigation lights.

â € ¢ Aft decks with life ring support, flagstaff support, navigation lights, and opening pulpit with hook.

â: €: ¢: Stanchions with 2 levels of lifelines.

â € ¢ 4 aluminum mooring cleats.

â € ¢ Single stainless steel chainplate for shrouds and lower shrouds. 2 chainplates for spreaders. 1 water and 1 fuel tank.

â € ¢ Main sail outhaul on the cabin top. Halyard with 4:1 purchase and cascade.

â € ¢ Genoa tracks with cars. 2 single blocks for genoa sheet leads on the lifelines.

â € ¢ 1 4:1 organizer on deck for halyard leads.

â € ¢ Stainless steel gooseneck for electrical and electronics. 4 blocks on the cabin top.

â € ¢ 2 halyard winches on the cabin top.

â & #128; & cent; 2 self-tailing genoa sheet winches on the lifelines.

• Cockpit seats and helm seat covered in teak. Cockpit sole in polyester with non-slip surface. Wheel

â € ¢ 1 large side locker with closing hatch.

â € ¢ Rudder stock under the helm seat for emergency tiller installation. Engine controls and panel on the starboard side of the cockpit, within reach.

â € ¢ Center-opening transom by removing the helm seat, allowing access to the stern. Gas bottle storage in the starboard aft locker.

â € ¢ Liferaft storage in the cockpit locker, cockpit shower in the starboard aft locker. Bathing ladder.

â € ¢ Aluminum mast anodized with 2 stages of spreaders, rigged 9/10, deck-stepped. Deck lights, deck steering lights.

â € ¢ Boom vang tacks.

â € ¢ Anodized aluminum boom equipped with 2 continuous reefing lines. Furler.

â € ¢ Grounded rigging. Continuous standing rigging in single-strand stainless steel and chromed bronze turnbuckles including: forestay, double spreaders, shrouds, inters.

â € ¢ Running rigging in pre-stretched textile including: main and genoa halyards, boom vang, main and genoa sheets, 2 continuous reefing lines, reefing line adjustment, furler line, purchase for.

â € ¢ Main sail with 2 wide reefing lines, battens, and sail cover.

â € ¢ Furling genoa with UV protection.

â € ¢ Asymmetric spinnaker.

The ventilation is provided by 2 deck hatches with integrated vents, 4 opening ports on the cabin top with curtains, 2 "mushroom" vents.

â € ¢ 2 hull ports and 2 fixed ports on the cabin top.

THE BOAT WILL BE AVAILABLE EARLY SEPTEMBRE 2025 More details and pictures on xboat.uk

Media

























